



Nelsonville, Village of  
PO Box 86  
Nelsonville, WI 54458

Date Reported 08/06/20  
Date Received 07/02/20  
DNR State Cert. 750040280

**2000304-01 9517 CR SS**

Sampled: 7/6/2020 10:20AM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
Alachlor ESA	0.09	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Alachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Diaminochlorotriazine	0.19	µg/L	1	0.10	0.10	07/17/20	Beacon ELISA	
Metolachlor ESA	3.60	µg/L	10	0.80	0.80	07/20/20	WEAL LC/MS	H
Metolachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
NO3+NO2(N)	11.2	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-02 9522 CR SS**

Sampled: 7/6/2020 11:22AM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
Alachlor ESA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Alachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Diaminochlorotriazine	0.54	µg/L	1	0.10	0.10	07/17/20	Beacon ELISA	
Metolachlor ESA	1.46	µg/L	2	0.16	0.16	07/20/20	WEAL LC/MS	H
Metolachlor OA	0.18	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
NO3+NO2(N)	10.5	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-03 9527 CR SS**

Sampled: 7/6/2020 10:24AM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
Alachlor ESA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Alachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Diaminochlorotriazine	0.58	µg/L	1	0.10	0.10	07/17/20	Beacon ELISA	
Metolachlor ESA	2.95	µg/L	5	0.40	0.40	07/20/20	WEAL LC/MS	H
Metolachlor OA	0.16	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
NO3+NO2(N)	9.8	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-04 9523 CR SS**

Sampled: 7/6/2020 10:26AM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
Alachlor ESA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Alachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Diaminochlorotriazine	0.25	µg/L	1	0.10	0.10	07/17/20	Beacon ELISA	
Metolachlor ESA	0.77	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Metolachlor OA	0.08	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
NO3+NO2(N)	5.3	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	



**Nelsonville, Village of**

PO Box 86

Nelsonville, WI 54458

Date Reported 08/06/20

Date Received 07/02/20

DNR State Cert. 750040280

**2000304-05 9548 CR SS**

Sampled: 7/6/2020 10:30AM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
Alachlor ESA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Alachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Diaminochlorotriazine	0.83	µg/L	1	0.10	0.10	07/17/20	Beacon ELISA	
Metolachlor ESA	2.95	µg/L	5	0.40	0.40	07/20/20	WEAL LC/MS	H
Metolachlor OA	0.20	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
NO3+NO2(N)	13.5	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-06 9699 CR SS**

Sampled: 7/6/2020 10:50AM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
Alachlor ESA	0.09	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Alachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Diaminochlorotriazine	ND	µg/L	1	0.10	0.10	07/17/20	Beacon ELISA	
Metolachlor ESA	0.36	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Metolachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
NO3+NO2(N)	21.1	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-07 3431 Welton**

Sampled: 7/6/2020 11:19AM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
Alachlor ESA	0.71	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Alachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Diaminochlorotriazine	0.12	µg/L	1	0.10	0.10	07/17/20	Beacon ELISA	
Metolachlor ESA	0.57	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Metolachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
NO3+NO2(N)	11.6	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-08 3453 Welton**

Sampled: 7/6/2020 11:22AM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
Alachlor ESA	1.97	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Alachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Diaminochlorotriazine	0.18	µg/L	1	0.10	0.10	07/17/20	Beacon ELISA	
Metolachlor ESA	0.34	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Metolachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
NO3+NO2(N)	11.1	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	



**Nelsonville, Village of**

PO Box 86

Nelsonville, WI 54458

Date Reported 08/06/20

Date Received 07/02/20

DNR State Cert. 750040280

**2000304-09 3099 High St**

Sampled: 7/6/2020 11:50AM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
Alachlor ESA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Alachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Diaminochlorotriazine	1.1	µg/L	1	0.10	0.10	07/17/20	Beacon ELISA	
Metolachlor ESA	4.20	µg/L	10	0.80	0.80	07/20/20	WEAL LC/MS	H
Metolachlor OA	0.33	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
NO3+NO2(N)	16.4	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-10 3041 Oak St**

Sampled: 7/6/2020 12:03PM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
Alachlor ESA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Alachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Diaminochlorotriazine	0.14	µg/L	1	0.10	0.10	07/17/20	Beacon ELISA	
Metolachlor ESA	0.08	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Metolachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
NO3+NO2(N)	8.0	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-11 2980 Oak St**

Sampled: 7/6/2020 12:05PM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
Alachlor ESA	0.10	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Alachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Diaminochlorotriazine	1.7	µg/L	1	0.10	0.10	07/17/20	Beacon ELISA	
Metolachlor ESA	3.70	µg/L	10	0.80	0.80	07/20/20	WEAL LC/MS	H
Metolachlor OA	0.24	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
NO3+NO2(N)	14.6	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-12 9515 Jerone**

Sampled: 7/6/2020 12:19PM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
Alachlor ESA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Alachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Diaminochlorotriazine	0.46	µg/L	1	0.10	0.10	07/17/20	Beacon ELISA	
Metolachlor ESA	1.14	µg/L	2	0.16	0.16	07/20/20	WEAL LC/MS	H
Metolachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
NO3+NO2(N)	19.4	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	



**Nelsonville, Village of**

PO Box 86

Nelsonville, WI 54458

Date Reported 08/06/20

Date Received 07/02/20

DNR State Cert. 750040280

**2000304-13 3151 Oak**

Sampled: 7/6/2020 12:22PM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
Alachlor ESA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Alachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Diaminochlorotriazine	3.1	µg/L	1	0.10	0.10	07/17/20	Beacon ELISA	
Metolachlor ESA	5.90	µg/L	10	0.80	0.80	07/20/20	WEAL LC/MS	H
Metolachlor OA	0.90	µg/L	10	0.80	0.80	07/20/20	WEAL LC/MS	H
NO3+NO2(N)	22.7	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-14 3141 Oak**

Sampled: 7/6/2020 12:25PM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
Alachlor ESA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Alachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Diaminochlorotriazine	0.83	µg/L	1	0.10	0.10	07/17/20	Beacon ELISA	
Metolachlor ESA	1.50	µg/L	2	0.16	0.16	07/20/20	WEAL LC/MS	H
Metolachlor OA	0.12	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
NO3+NO2(N)	19.3	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-15 3111 Oak**

Sampled: 7/6/2020 12:28PM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
Alachlor ESA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Alachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Diaminochlorotriazine	ND	µg/L	1	0.10	0.10	07/17/20	Beacon ELISA	
Metolachlor ESA	0.24	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
Metolachlor OA	ND	µg/L	1	0.08	0.08	07/20/20	WEAL LC/MS	H
NO3+NO2(N)	9.2	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-16 9568 CR SS**

Sampled: 7/6/2020 10:39AM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
NO3+NO2(N)	19.2	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-17 9689 CR SS**

Sampled: 7/6/2020 10:55AM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
NO3+NO2(N)	25.1	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-18 3467 Welton**

Sampled: 7/6/2020 11:12AM	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Notes
NO3+NO2(N)	6.4	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	



**Nelsonville, Village of**

PO Box 86

Nelsonville, WI 54458

Date Reported 08/06/20

Date Received 07/02/20

DNR State Cert. 750040280

**2000304-19 3450 Welton**

Sampled: 7/6/2020 11:28AM	<u>Result</u>	<u>Units</u>	<u>Dilution</u>	<u>LOD</u>	<u>LOQ</u>	<u>Analyzed</u>	<u>Method</u>	<u>Notes</u>
NO3+NO2(N)	11.4	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-20 9418 1st St**

Sampled: 7/6/2020 11:34AM	<u>Result</u>	<u>Units</u>	<u>Dilution</u>	<u>LOD</u>	<u>LOQ</u>	<u>Analyzed</u>	<u>Method</u>	<u>Notes</u>
NO3+NO2(N)	2.7	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-21 2920 Hwy Q**

Sampled: 7/6/2020 11:38AM	<u>Result</u>	<u>Units</u>	<u>Dilution</u>	<u>LOD</u>	<u>LOQ</u>	<u>Analyzed</u>	<u>Method</u>	<u>Notes</u>
NO3+NO2(N)	18.2	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-22 3064 Hwy Q**

Sampled: 7/6/2020 11:43AM	<u>Result</u>	<u>Units</u>	<u>Dilution</u>	<u>LOD</u>	<u>LOQ</u>	<u>Analyzed</u>	<u>Method</u>	<u>Notes</u>
NO3+NO2(N)	6.6	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-23 3021 Oak**

Sampled: 7/6/2020 11:58AM	<u>Result</u>	<u>Units</u>	<u>Dilution</u>	<u>LOD</u>	<u>LOQ</u>	<u>Analyzed</u>	<u>Method</u>	<u>Notes</u>
NO3+NO2(N)	11.9	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**2000304-24 3511 Oak**

Sampled: 7/7/2020 9:07AM	<u>Result</u>	<u>Units</u>	<u>Dilution</u>	<u>LOD</u>	<u>LOQ</u>	<u>Analyzed</u>	<u>Method</u>	<u>Notes</u>
NO3+NO2(N)	9.4	mg/L	1	0.1	0.3	07/09/20	SM4500-NO3- F	

**NOTES/DEFINITIONS**

- H: Holding time exceeded
- ND: Analyte not detected at or above the reporting limit
- Q: Quality control failure
- LOD: Limit of Detection
- LOQ: Limit of Quantitation
- INT : Interference in sample

Authorized Signature:

William DeVita